

PVB040
PV – RE-ASSIGN SORT CODES

PROGRAM FUNCTION:

This program allows the user to change the transaction code and/or the sort code in the ProVal log file (UAPROVAL). The ProVal log file is used to aid in the downloading of data from the AS/400 to ProVal.

REQUIRED RESPONSES SUPPLIED BY OPERATOR:

- 01 Enter old transaction code
- 02 Enter new transaction code
- 03 Enter old sort code
- 04 Enter new sort code
- 05 Printer prompts

COMMENTS:

None

OUTPUT SUMMARY (or NA):

The summary report lists the old and new transaction codes, old and new sort codes, and the number of records updated.

SPECIAL CONSIDERATIONS:

If the user does not want a specific type of transaction downloaded to ProVal, he/she may change the transaction code (PVCODE) to an invalid transaction code. However, the transaction code will change on all records with the same original transaction code, not just one particular record. **Records with an invalid transaction code will not download to ProVal.**

The valid transaction codes are listed below:

- NEW new parcel created in PM, or split A \Leftarrow A, change A \Leftarrow A, combination A \Leftarrow A, or roll program PMB081 during March Startup.
- RETIRE parcel deleted in PM, or split A \Leftarrow A, change A \Leftarrow A, combination A \Leftarrow A, or roll program PMB081 during March Startup.

MISC	name change; map number change, photo number change, or cama area change.
LEGAL	legal description new/changed
PHY	new physical address
SALEEN	sales data entry
SALEUP	sales data updated
SALEDL	sales data deleted

The user cannot make changes to records previously downloaded to ProVal.